

# Publisher

**Embutido vs. Enterprise**


3 principais características

# Publisher

- **Embutido** é aquisição apenas o QlikView Server.
- **Enterprise** é aquisição do QlikView Publisher e do QlikView Server.

# Publisher - Embutido

- Única carga por Documento
- Somente uma Dependência



# Publisher - Enterprise

- Possibilidade de várias cargas (triggers) e várias dependências

The screenshot displays the QlikView Enterprise Management Console interface within a Windows Internet Explorer browser. The address bar shows the URL `http://localhost:4780/qemc/SourceDocuments.htm#`. The console has tabs for Status, Documents, Users, and System, with 'Documents' currently selected. On the left, a tree view shows a folder structure under 'QD5@serverqlik64', including folders like '<Orphans>', 'APIguide', 'Comercial', and 'Diretoria', along with various QlikView documents such as 'Painel Canais Toccatto.qvw (1 task)'. The main area is divided into several sections: 'General', 'Reload', 'Reduce', 'Distribute', 'Document info', 'Triggers', and 'Server'. The 'Triggers' section is active, showing a table of 'Current Triggers' with one entry: 'DailyTrigger' with details 'At 9:00 every 1 day' and an 'Enabled' status. Below this, the 'Task Dependencies' section is empty. At the bottom, the 'Task Execution Options' section shows 'Number of tries' set to 1 and 'Timeout in minutes' set to 1440. 'Apply' and 'Cancel' buttons are visible at the bottom right of the console.

# Publisher - Embutido

– Tarefa apenas por documento


The screenshot displays the QlikView Enterprise Management Console interface within a Windows Internet Explorer browser. The browser's address bar shows the URL `http://localhost:4780/qemc/UserDocuments.htm#`. The console's navigation tabs include Status, Documents, Users, and System. The 'Documents' tab is active, showing a tree view of user documents under the user `QV5@gp-2k8-qli-t01`. The document `Extrator_Editora.qvw` is selected. The right-hand pane shows the configuration for this document, with the 'Reload' tab selected. The 'Reload Schedule' section is expanded, showing the following settings:

- Enabled:**
- None:**
- Hourly:**  Every  hours and  minutes. Start: 6/22/2011 11:18:07 AM
- Daily:**  Every  days at  (hh:mm)
- Weekly:**  Sunday at  (hh:mm)
- Monthly:**  Day  every month at  (hh:mm)
- Continuously:**
- On event of another task:**  Successful, Desenvolvimento/Extrator\_RD\_Detalhado.qvw
- External event:**
- Timeout seconds:**
- Dependency:**
- Data Protection:**  Section access
- Username:**
- Password:**

Buttons for 'Reload Now' and 'Apply' are located at the bottom right of the configuration pane. The Windows taskbar at the bottom shows the Start button, several remote desktop connections, and the QlikView x64 application running.

# Publisher - Enterprise

– Tarefas de Suporte




# Publisher - Enterprise

## – Tarefas de Suporte

- **External Program** – Pode executar um arquivo .bat;
- **Database Command** – Executa comandos DML de banco de dados e stored procedures;
- **Pause** – Pausa o processo por um determinado tempo ou até um determinado horário;
- **QVD Creation** – Executa um SQL ou LOAD para a geração de arquivo QVD, sendo que esse QVD pode ser concedido acesso ao arquivo apenas as pessoas selecionadas.

# Publisher - Embutido

– Redução dos Dados somente por Script (lógica)



The screenshot shows the 'Editar Script [QV1]' window in QlikView. The main editor area contains the following script:

```
1 SET ThousandSep='.';
2 SET DecimalSep=',';
3 SET MoneyThousandSep='.';
4 SET MoneyDecimalSep=',';
5 SET MoneyFormat='R$ #.##0,00;-R$ #.##0,00';
6 SET TimeFormat='hh:mm:ss';
7 SET DateFormat='DD/MM/YYYY';
8 SET TimestampFormat='DD/MM/YYYY hh:mm:ss[.fff]';
9 SET MonthNames='jan;fev;mar;abr;mai;jun;jul;ago;set;out;nov;dez';
10 SET DayNames='seg;ter;qua;qui;sex;sáb;dom';
11
12 Section Access;
13 LOAD * INLINE [
14     ACCESS, NTNAME, NIDOMAINSID
15     admin, marcelo.weber, toccato
16     user, fabiano.tristao, toccato
17     user, cesar.camargos, toccato
18 ];
19 Section Application;
20
21
```


Below the script editor, there are tabs for 'Dados', 'Funções', 'Variáveis', and 'Configuração'. The 'Dados' tab is active, showing options for 'Base de Dados' (ODBC) and 'Dados de Arquivos' (Caminhos Relativos, Usar FTP, Arquivos de Tabela, Arquivo QlikView, Arquivos Web, Dados do Campo). At the bottom, there are 'OK', 'Cancelar', and 'Ajuda' buttons.

The Windows taskbar at the bottom shows the following open applications: Microsoft PowerPoint, Portal TV Globo, SSL Network Extender, QlikView x64 - Cópia, Skype - fabianotris..., Windows Live Messenger, Caixa de entrada - M..., serverqlik64 - Conex..., and 10.29.3.33 - Conexão... The system tray shows the date and time as 09:38, quarta-feira, 22/06/2011.



# Publisher - Enterprise

- Redução de Dados por Valor ou Bookmark (físico)
- Formatação do Nome para aplicação reduzida




# Publisher - Embutido

- Distribuição
  - Não existe esta funcionalidade.

# Publisher - Enterprise

- Distribuição do Documento para diversos Servidores ou por Email ou para Repositório



# Publisher - Enterprise

- Distribuição do Documento com base em um campo do documento.

The screenshot displays the QlikView Publisher Enterprise interface. The top navigation bar includes 'Status', 'Documents', 'Users', and 'System'. The main window is titled 'Source Documents' and 'User Documents'. A search bar is present above a document tree on the left. The right pane shows configuration options for document distribution, including 'General', 'Reload', 'Reduce', 'Distribute', 'Document Information', 'Triggers', and 'Server'. The 'Distribute' tab is active, with sub-tabs for 'Manually', 'Loop Field in Document', 'File Type', and 'Notify'. The 'Loop Field in Document' sub-tab is selected. A callout bubble points to the 'Field containing recipient information' dropdown, which is set to 'ColaboradorID'. The 'Check user identity on' dropdown is set to 'SAM Account Name'. The 'Destination' section shows 'Target type' set to 'QlikView Server' with a dropdown for server selection. There are also checkboxes for 'E-mail' and 'Folder' distribution. The 'Apply' and 'Cancel' buttons are at the bottom right.

QlikView

Status Documents Users System

Source Documents User Documents Help

Search for documents and tasks

Name

- <Templates>
- QDS@tt
  - C:\ProgramData\QlikTech\SourceDocuments
  - E:\TOCCATO\Treinamento\QV3-Avançado\Exercicios\Exercíc...
    - <Orphans>
    - DadosExtraídos
    - DadosFinais
    - Exercicio - Extração.qvw (2 tasks)
    - Exercicio - Transformação.qvw (2 tasks)
    - Exercicio - Visão - Segurança.qvw
    - Exercicio - Visão.qvw (4 tasks)
      - PDF - Exercicio - Visão.qvw
      - QVW - Exercicio - Visão.qvw with reductions.
      - Novo Exercicio com Reducao
      - PDF Novo Exercicio

General Reload Reduce Distribute Document Information Triggers Server

Manually **Loop Field in Document** File Type Notify

Loop and Distribute

Creates a recipient for each value in the selected field.

Open Document

Field containing recipient information: ColaboradorID

Check user identity on: SAM Account Name

Destination

Target type:  QlikView Server: <select a server>

E-mail In order to do email distribution, configure a mail server in System, Setup, Mail Server.

Folder:

Apply Cancel

Campo do modelo QV com a informação do login da rede

# Publisher - Enterprise

## – Distribuição - Tipo de Documento

The screenshot displays the QlikView Enterprise Management Console interface within a Windows Internet Explorer browser. The address bar shows the URL `http://localhost:4780/qemc/SourceDocuments.htm#`. The console is divided into several sections:

- Navigation:** Tabs for Status, Documents, Users, and System are visible at the top.
- Source Documents:** A tree view on the left shows a folder structure under `QDS@serverqlik64`. The folder `Painel Canais Toccatto.qvw (1 task)` is selected.
- Document Properties:** A right-hand pane shows settings for the selected document. It includes tabs for General, Reload, Reduce, Distribute, Document info, Triggers, and Server. The `File Type` tab is active, showing options for `Manually`, `Loop Field in Document`, `File Type`, and `Notify`.
- Output Document Type:** This section allows selecting the output format. The `PDF report from source document` option is selected, with a dropdown menu set to `<select a report>` and an `Open Document` button.
- Buttons:** `Apply` and `Cancel` buttons are located at the bottom right of the settings pane.

The Windows taskbar at the bottom shows the Start button, several open applications including `QlikView Enterprise M...` and `Diretoria`, and system tray icons for network, volume, and power. The system clock shows `Local intranet | Protected Mode: Off` and `100%` zoom.

# Publisher - Enterprise

- Outras funções:
  - Gerenciamento dos Documentos publicados em diversos Servidores;
  - Integração com Ferramentas de Monitoramento (usando protocolo SNMP);
  - Customizações no Email de Notificação, Distribuição e Alerta;
  - O documento distribuído é fechado, sem script. Portanto, é um documento final.